

Gen (chem lib)
water

CONTENTS

The Salt Requirements of <i>Lupinus albus</i> . C. H. ARNDT.....	1
Effects of Various Methods of Applying Fertilizers on Crops and on Certain Soil Conditions. DANA G. COE.....	7
Potassium Ferrocyanide and Ferric Ferrocyanide as Sources of Iron for Plants. C. G. DEUBER.....	23
The Viability of the Nodule Bacteria of Legumes Outside of the Plant: I, II. MARCOS M. ALICANTE.....	27
A New Soil Core Sampler. E. B. POWELL.....	53
The Availability of Nitrogen in Garbage Tankage and in Urea in Comparison with Standard Materials. A. L. PRINCE AND H. W. WINSOR.....	59
Some Residual Effects of Neutral Salt Treatments on the Soil Reaction. C. H. SPURWAY AND R. H. AUSTIN.....	71
The Utilization of Water by Plants under Field and Greenhouse Conditions. N. M. TULAIOV.....	75
The Viability of the Nodule Bacteria of Legumes Outside of the Plant: III, IV, V. MARCOS MONDEJAR ALICANTE.....	93
The Influence of Available Nitrogen on the Fermentation of Cellulose in the Soil. J. ARLINGTON ANDERSON.....	115
The Effects of Various Methods of Applying Fertilizers on Crop Yields. DANA G. COE.....	127
A Comparative Study of the Bacterial Flora of Wind-blown Soil: I. Arroyo Bank Soil, Tucson, Arizona. LAETITIA M. SNOW.....	143
The Use of the Quinhydrone Electrode for Measuring the Hydrogen-Ion Concentration of Soils. L. D. BAVER.....	167
Colloidal Behavior of Soils and Soil Fertility: II. The Soil Complex Capable of Base Exchange and Soil Acidity. J. S. JOFFE AND H. C. MCLEAN.....	181
A Study of Some of the Factors Affecting the Supply of Moisture to Crops in Sandy Soils. H. W. STEWART.....	197
The Bacterial Types Occurring in Frozen Soil. A. G. LOCHHEAD.....	225
The Production and Use of Sulfate in Humid and Arid Soils as Affected by Cropping and Sulfur Treatments. WILLIAM W. JOHNSTON.....	233
The Effect of Sulfur on the Microflora of the Soil. J. M. FIFE.....	245
The Form of Legume Nitrogen Assimilated by Non-Legumes When Grown in Association. JAMES HENRY STALLINGS.....	253
Effects of Soil Treatments Upon the Draft of Plows. F. L. DULEY AND M. M. JONES.....	277
Ion Exchange in Relation to Soil Acidity. W. P. KELLEY AND S. M. BROWN.....	289
The Effect of Varying the Nitrogen Supply on the Ratios Between the Tops and Roots in Flax. THOMAS W. TURNER.....	303
Physiological Activity of the Seminal and Nodal Roots of Crop Plants. IRENE KRASSOVSKY.....	307
The Problem of a Proper Nutrient Medium. D. N. PRIANISHNIKOV AND M. K. DOMONTOVITCH.....	327
Some Comparisons of the Properties of Humid-Tropical and Humid-Temperate American Soils; with Special Reference to Indicated Relations between Chemical Composition and Physical Properties. H. H. BENNETT.....	349
Influence of Form, Soil-Zone, and Fineness of Lime and Magnesia Incorporations upon Outgo of Calcium and Magnesium. W. H. MACINTIRE.....	377

The Use of Oat Straw in a System of Soil Fertility. ROYLE P. THOMAS AND HORACE J. HARPER.....	393
The Loss of Soluble Salts in Runoff Water. F. L. DULEY.....	401
The Moisture Equivalent of Soils. MOYER D. THOMAS AND KARL HARRIS.....	411
The Influence of Lime and Phosphatic Fertilizers on the Phosphorus Content of the Soil Solution and of Soil Extracts. F. W. PARKER AND J. W. TIDMORE.....	425
Synthetic Calcium Silicates as a Source of Agricultural Lime: II. A Comparison of Their Influence with that of Other Forms of Lime upon Certain Microbiological Activities in the Soil. R. MARLIN BARNETTE.....	443
Contribution to the Theory of the Origin of Alkali Soils. ALEXIUS A. J. DE'SIGMOND..	455
Do Colloids Exist as a Coating Around the Soil Grains? GEORGE JOHN BOUYOUCOS....	481
Relation of Fineness of Grinding to Rate of Sulfur Oxidation in Soils. R. E. STEPHENSON.....	489

ILLUSTRATIONS

PLATES

A NEW SOIL CORE SAMPLER

Plate 1. Fig. 1. Sampler after removal from soil.....	57
2. Wrapped core of soil made air-tight with paraffine.....	57

THE AVAILABILITY OF NITROGEN IN GARBAGE TANKAGE AND IN UREA IN COMPARISON WITH STANDARD MATERIALS

Plate 1. Fig. 1. Comparison of Different Nitrogenous Fertilizers—Barley.....	69
2. Comparison of Different Nitrogenous Fertilizers—Sorghum.....	69

THE VIABILITY OF THE NODULE BACTERIA OF LEGUMES OUTSIDE OF THE PLANT: III, IV, V

Plate 1. Fig. 1, 2 and 3. Garden Pea, Red Clover, and Soybean Grown in Media Without Calcium Carbonate.....	111
4, 5 and 6. Garden Pea, Red Clover, and Soybean Grown in Media with Calcium Carbonate.....	111
7, 8 and 9. Garden Pea, Red Clover, and Soybean Grown in Media without Phosphorus.....	111
10, 11 and 12. Garden Pea, Red Clover, and Soybean Grown in Media with Acid Phosphate.....	111
13, 14 and 15. Garden Pea, Red Clover and Soybean Grown in Media with Tricalcium Phosphate.....	111
16, 17 and 18. Garden Pea, Red Clover, and Soybean Grown in Media with Aluminum Chloride.....	111
19, 20 and 21. Garden Pea, Red Clover, and Soybean Grown in Media with Hydrochloric Acid.....	111
22, 23 and 24. Garden Pea, Red Clover, and Soybean Grown in Media with Acetic Acid.....	111
25, 26 and 27. Garden Pea, Red Clover, and Soybean Grown in Media with Nitric Acid.....	111
28, 29 and 30. Garden Pea, Red Clover, and Soybean Grown in Media with Sulfuric Acid.....	111
Plate 2. Garden Pea. Stained with carbol-fuchsin.....	112
Plate 3. Red Clover. Stained with carbol-fuchsin.....	113
Plate 4. Soybean. Stained with carbol-fuchsin.....	114

A COMPARATIVE STUDY OF THE BACTERIAL FLORA OF WIND-BLOWN SOIL: I. ARROYO BANK SOIL, TUCSON, ARIZONA

Plate 1. Fig. 1. View of the Pantana Wash and the Tanque Verde Bridge. Taken from the bottom of the wash and looking toward the bank on top of which the soil samples were collected.....	163
2. Nearer view of the bank.....	163
Plate 2. Fig. 1. General view of the situation in which the soil samples were collected.....	165
2. A nearer view of the surface at the place of collection.....	165

A STUDY OF SOME OF THE FACTORS AFFECTING THE SUPPLY OF MOISTURE TO CROPS IN SANDY SOILS

Plate 1.	Fig. 1. View of medium sand plots (100 series) toward the southwest corner..	219
	2. View of fine sand plots (200 series). Gentle slope from road toward camera.....	219
	3. View of sandy loam plots (300 series). Gentle slope from road toward camera.....	219
Plate 2.	Fig. 1. Oats on medium sand plots, June 28, 1921.....	221
	2. Oats on fine sand plots, June 28, 1921.....	221
	3. Oats on sandy loam plots, June 28, 1921.....	221
Plate 3.	Fig. 1. Corn on medium sand plots, August 4, 1923.....	223
	2. Corn on fine sand plants, August 4, 1923.....	223
	3. Corn on sandy loam plots, August 4, 1923.....	223

PHYSIOLOGICAL ACTIVITY OF THE SEMINAL AND NODAL ROOTS OF CROP PLANTS

Plate 1.	Figs. 1, 2, 3. Diagram of Jars used in Root Studies.....	323
Plate 2.	Left, experiments with isolated root systems. Right, experiments with the removal of one of the root systems.....	325

SOME COMPARISONS OF THE PROPERTIES OF HUMID-TROPICAL AND HUMID-TEMPERATE AMERICAN SOILS; WITH SPECIAL REFERENCE TO INDICATED RELATIONS BETWEEN CHEMICAL COMPOSITION AND PHYSICAL PROPERTIES

Plate 1.	Plowing the Columbiana Clay in Eastern Costa Rica.....	375
----------	--------------------------------------------------------	-----

CONTRIBUTION TO THE THEORY OF THE ORIGIN OF ALKALI SOILS

Plate 1.	Distribution of the Total Salts to an Average Depth of 120 cm. on Alkali Land.	477
Plate 2.	Fig. 1. How the vertical distribution of the four typical soil-horizons fluctuates in a cross-section through the different salt classes, along the line ABCDEFGH shown in plate 1.....	479
	2. Corresponding salt content of the four soil-horizons of figure 1.....	479

TEXT FIGURES

THE SALT REQUIREMENTS OF LUPINUS ALBUS

Fig. 1.	Relative Growth of Tops.....	2
2.	Relative Growth of Roots, Based on the Dry Weight of Culture 9.....	3
3.	Relative Transpiration per Gram of Green Weight Produced.....	3
4.	Graph to Show Distribution of Highs and Lows in Relation to the Anions in the 0.0021 N Salt Concentration.....	5
5.	As in Figure 4, Except for a Total Salt Concentration of 0.0084 N.....	5
6.	As in Figure 4, Except for a Total Salt Concentration of 0.00336 N.....	6
7.	Highs and Lows in the Sand Cultures.....	6

POTASSIUM FERROCYANIDE AND FERRIC FERROCYANIDE AS SOURCES OF IRON FOR PLANTS

Fig. 1.	Green Weight of Soybean Plants for Each Culture in Nutrient Solutions Containing 5 p.p.m. Iron as Ferric Citrate and Ferric Ferrocyanide.....	25
---------	-----------------------------------------------------------------------------------------------------------------------------------------------	----

A NEW SOIL CORE SAMPLER

Fig. 1.	Plan of the New Soil Core Sampler.....	54
---------	----------------------------------------	----

SOME RESIDUAL EFFECTS OF NEUTRAL SALT TREATMENTS ON THE SOIL REACTION

- Fig. 1. Variation in pH Values of Horizons and Corresponding Residual Effects of Neutral Salt Treatments on Four Soil Types..... 73

THE INFLUENCE OF AVAILABLE NITROGEN ON THE FERMENTATION OF CELLULOSE IN THE SOIL

- Fig. 1. The Rate of Cellulose Fermentation in the Presence of Increasing Amounts of Nitrogen..... 118
2. The Rate of Cellulose Fermentation in the Presence of Increasing Amounts of Nitrogen..... 120
3. The Rates of Cellulose Fermentation and Accompanying Nitrification.. 122

THE USE OF THE QUINHYDRONE ELECTRODE FOR MEASURING THE HYDROGEN-ION CONCENTRATION OF SOILS

- Fig. 1. Effect of Soil-Water Ratio on Hydrogen-Ion Concentration..... 175
2. Effect of Soil-Water Ratio on Hydrogen-Ion Concentration..... 176

COLLOIDAL BEHAVIOR OF SOILS AND SOIL FERTILITY: II. THE SOIL COMPLEX CAPABLE OF BASE EXCHANGE AND SOIL ACIDITY

- Fig. 1. Time Rate Curves of Soils 7A, 10A, 11A, and 12A for 1914..... 193
2. Time Rate Curves of Soils 7A, 10A, 11A, and 12A for 1918..... 193
3. Time Rate Curves of Soils 7A, 10A, 11A, and 12A for 1922..... 193

A STUDY OF SOME OF THE FACTORS AFFECTING THE SUPPLY OF MOISTURE TO CROPS IN SANDY SOILS

- Fig. 1. Arrangement of Cylinders in Experiment I at Madison, Containing Medium Sand, Fine Sand, and Sandy Loam..... 200
2. Arrangement of Cylinders in Experiment II at Madison, Containing Medium Sand, Fine Sand, and Sandy Loam from Experimental Plots near Hancock. . 200
- Fig. 3. Arrangement of Cylinders in Experiment III at the Hancock Experimental Farm, Containing Medium Sand, Fine Sand, and Sandy Loam from Experimental Plots Near Hancock. 200
4. Arrangement of Plots in Experiment IV in Each of the Three Series of Plots Near Hancock..... 201
5. Amount and Distribution of Rainfall of 0.3 Inch or More Occurring Within 1-Day, 2-Day, or 3-Day Periods During the Growing Season at Madison 1917-1923..... 205
6. Amount and Distribution of Rainfall of 0.3 inch or More Occurring Within 1-Day, 2-Day, or 3-Day Periods During the Growing Season at the Hancock Experimental Farm and the Plots Near Hancock..... 206

THE PRODUCTION AND USE OF SULFATE IN HUMID AND ARID SOILS AS AFFECTED BY CROPPING AND SULFUR TREATMENTS

- Fig. 1. Comparison of Sulfate Sulfur, pH and Percentage of Sulfur in the Crop on Soils Treated with 150 Pounds of Sulfur per Acre..... 237
2. Sulfate Produced on Cropped and Uncropped Putnam and Redmond Soils Treated with 150 Pounds of Sulfur per Acre..... 239

THE EFFECT OF SULFUR ON THE MICROFLORA OF THE SOIL

- Fig. 1. Percentage of Ammonia Produced in Soils Treated with Varying Amounts of Sulfur..... 247

2. Percentage of Nitrates Produced in Soils Treated with Varying Amounts of Sulfur.....	248
3. Milligrams of Nitrogen Fixed in Soils Treated with Varying Amounts of Sulfur....	249
4. Millions of Bacteria in Soils Treated with Varying Amounts of Sulfur.....	250
5. Percentage of Sulfur Oxidized in Soils Treated with Sulfur.....	251

EFFECTS OF SOIL TREATMENTS UPON THE DRAFT OF PLOWS

Fig. 1. Comparison of the Plow Draft Per Square Inch of Furrow Slice on Manured vs. Unmanured Land.....	280
2. Relation Between the Per Cent of Soil Moisture and the Draft of Plows.....	284
3. Relation Between Soil Moisture and the Draft of Plows on Manured and on Unmanured Land.....	286
4. Relative Moisture Contents of Manured and of Unmanured Plots at the Various Samplings.....	286

PHYSIOLOGICAL ACTIVITY OF THE SEMINAL AND NODAL ROOTS OF CROP PLANTS

Fig. 1. Water and Salt Absorption, and Growth of Wheat No. 5.....	312
2. Water and Salt Absorption, and Growth of Wheat No. 6.....	312
3. Water and Salt Absorption, and Growth of Barley No. 7.....	315
Fig. 4. Water and Salt Absorption, and Growth of Barley No. 8.....	315

THE PROBLEM OF A PROPER NUTRIENT MEDIUM

Fig. 1. Graphs Showing the Titration of the Prianishnikov and Hellriegel Media at Start (I), after 24 hours (II), and after $\frac{1}{2}$ Hour (III).....	337
2. Graphs Showing the Titration of 0.05 M Solution of KH_2PO_4 and 0.05 M $\text{KH}_2\text{PO}_4 + 0.02 \text{ M CaCl}_2$	339

SOME COMPARISONS OF THE PROPERTIES OF HUMID-TROPICAL AND HUMID-TEMPERATE AMERICAN SOILS; WITH SPECIAL REFERENCE TO INDICATED RELATIONS BETWEEN CHEMICAL COMPOSITION AND PHYSICAL PROPERTIES

Fig. 1. Percentage Relation of Silica to Iron and Alumina.....	369
2. Percentage Relation of Iron and Alumina to Combined Water.....	370
3. Percentage Relation of Iron and Alumina to Bases.....	371

INFLUENCE OF FORM, SOIL-ZONE AND FINENESS OF LIME AND MAGNESIA INCORPORATIONS UPON OUTGO OF CALCIUM AND MAGNESIUM

Fig. 1. Total Calcium Outgo in Excess of that from Loam Control During 4 Years as a Result of 2000-pound CaO-Equivalent Additions of $\text{Ca}(\text{OH})_2$ and Limestone and Dolomite Separates of 10-20-, 20-40-, 40-80- and 80-200-Mesh Fineness—Surface-Zone and Subsurface-Zone Incorporations.....	386
2. Total Magnesium Outgo in Variance from That of Loam Controls During 4 Years as a Result of 2000-Pound CaO-Equivalent Additions of $\text{Ca}(\text{OH})_2$ and Limestone and Dolomite Separates of 10-20-, 20-40-, 40-80- and 80-200-Mesh Fineness—Surface-Zone and Subsurface-Zone Incorporations.....	387
3. Total Calcium-Magnesium Outgo in Excess of That from Loam Controls During 4 Years as a Result of 2000-Pound CaO-Equivalent Additions of $\text{Ca}(\text{OH})_2$ and Limestone and Dolomite Separates of 10-20-, 20-40-, 40-80- and 80-200-Mesh Fineness—Surface-Zone and Subsurface-Zone Incorporations.....	388

THE MOISTURE EQUIVALENT OF SOILS

- Fig. 1. Moisture Retained by the Soil Separates..... 415
2. Distribution of Water in the Soil Separates after Centrifuging for Different Lengths of Time as Indicated on the Curves..... 416
3. Distribution of Water in the Greenville Soil (G1) after Centrifuging 5.5 to 7 hours, Using Outside Boundary Materials as Indicated in the Curves..... 420

SYNTHETIC CALCIUM SILICATES AS A SOURCE OF AGRICULTURAL LIME: II. A COMPARISON OF THEIR INFLUENCE WITH THAT OF OTHER FORMS OF LIME UPON CERTAIN MICROBIOLOGICAL ACTIVITIES IN THE SOIL

- Fig. 1. Showing the Variations in the Numbers of Bacteria in Soil from Plot N Treated with Di-Calcium Silicate, Calcium Hydrate, and Ground Limestone on an Equivalent Lime Basis at Various Intervals after Treatment..... 444
2. Showing Correlation Between Increase in Crop Production and Increase in Nitrate Nitrogen (per 100 gm. of Air-Dried Soil) in Soil from Plot 11A Treated with Increasing Applications of Lime as Limosil..... 448